CHAMBERS, S. 2009.
Birds of New Zealand - Locality Guide. 3rd edn.
Arun Books, Orewa, New Zealand.
Kaka: pp 208-209.



KAKA

Family Nestoridae
Species Nestor meridionalis
Common name Kaka

Status Endemic

Abundance Common in selected areas

Size 450 mm (cf sparrow 145 mm, Kea 460 mm)

Habitat A bird of old forests, remnant forests, gardens, orchards and even suburban gardens outside of the breeding season.

New Zealand range In the North Island birds are concentrated in the centre of the island and on the offshore islands. It is well spread in the South Island and on Stewart Island.

Discussion A bird of relatively ancient origin with stocky build, brush-tipped tongue, ceres bristles and short tail. This suggests an evolution separated from other parrots. Its adaptation to a temperate climate reinforces this. Its closest relatives are the Australian lorikeets all of which have brush-tipped tongues and

nectar-eating habits (Fleming 1982). The South Island Kaka (*N. m. meridionalis*) is larger than the North Island bird (*N. m. septentrionalis*) with more grey colouring on the cap.

Description

Head Cap greyish on the North Island Kaka and grey on the South Island Kaka. Behind the eye is orange. **Upperparts** Brown with tonings of green and red. **Breast** Brown with tonings of green and red. **Abdomen** Brown with crimson tonings. **Underwings** Red.

Conspicuous features

- A large overall brown looking parrot.
- Large head of the in-flight bird.

Conspicuous characteristics

- Harsh calls when in flight gives it away.
- Flying birds always appear to be poorly proportioned.
- Rounded wings.
- The sound of breaking sticks can indicate a feeding Kaka.

Call Usually harsh guttural calls but also sweet musical notes.

Nest Usually a hole in an old tree high up. Up to 5 white eggs are laid.

Where to find - North Island

Great Barrier Island – Good populations here especially at Tryphena. P. 290.

Coromandel – Opoutere near the backpackers. P. P. 307.

King Country – Pureora Forest at Bismarck Road. P. 314.

Urewera - Lake Waikaremoana on Lake Waikareiti Track. P. 328.

Taupo – Lake Rotopounamu Track. P. 316.

Wellington – Karori Wildlife Sanctuary. P. 340.

Where to find - South Island

West Coast - Lake Brunner and other West Coast forests. P. 374.

Fiordland – Eglinton Valley and Cascade Creek. P. 370.

Where to find - Stewart Island

Oban – Common around the town. P. 367.